



MSI CORPORATE STABLE MODEL

1 YEAR SUPPLY GUARANTEED + ADVANCED RMA SERVICE

MSI Corporate Stable Models are automatically covered upon purchase.

Spec. Overview ----- Page. 1
Spec. Overview ----- Page. 2
Spec. Comparison ---- Page. 3
Spec. Comparison ---- Page. 4

Learn more at us.msi.com/corpstable



H77MA-G43 INTEL H77 CHIPSET

- Supports Intel 2nd and 3rd Generation Core i3/i5/i7/Pentium/Celeron LGA1155 processors / H77 Express Chipset
- Intel HD Graphics Outputs (DVI/D-Sub) for digital signage w/ DirectX 11
- ClickBIOS II – Next-generation Graphical User Interface
- World's first PCI-E Gen 3 Support
- OC Genie II – Accelerated Performance
- 4x DIMM DDR3 1066/1333/1600MHz Support (up to 32GB Max)
- 1x PCI-E x16 (Gen3), 1x PCI-E x16 (Gen2), 2x PCI-E x1
- 2x SATA III, 4x SATA II, 4x USB 3.0, 10x USB 2.0, Gbt LAN, RAID, 7.1 HD Audio



H61M-P31/W8 INTEL H61 CHIPSET (G3 STEPPING)

- Supports Intel 2nd and 3rd Generation Core i3/i5/i7/Pentium/Celeron LGA1155 processors / H61 Express Chipset
- Intel HD Graphics Outputs (DVI/D-Sub) for digital signage w/ DirectX 11
- ClickBIOS Concept – Next-generation UEFI support
- World's first PCI-E Gen 3 Support
- 2x DIMM DDR3 1066/1333MHz Support (up to 16GB Max)
- 1x PCI-E x16 (Gen3), 1x PCI-E x1
- 4x SATA II, 10x USB 2.0, Gbt LAN, HD Audio



A55M-P33 AMD HUDSON D2 CHIPSET

- Supports AMD A8/A6/A4/E2 FM1 socket processors / Hudson D2 Chipset
- AMD Dual Graphics Technology support for digital signage w/ DirectX 11
- ClickBIOS Concept – Next-generation UEFI support
- 2x DIMM DDR3 1066/1333/1600MHz Support (up to 16GB Max)
- 1x PCI-E x16 , 1x PCI-E x1, 1x PCI
- 6x SATA II, 12x USB 2.0, Gbt LAN, RAID, HD Audio



MSI CORPORATE STABLE MODEL

1 YEAR SUPPLY GUARANTEED + ADVANCED RMA SERVICE

MSI Corporate Stable Models are automatically covered upon purchase.

Learn more at us.msi.com/corpstable



B75MA-E33 INTEL B75 CHIPSET

- Supports Intel 2nd and 3rd Generation Core i3/i5/i7/Pentium/Celeron LGA1155 processors / B75 Express Chipset
- Intel HD Graphics Outputs (HDMI/D-Sub) for digital signage w/ DirectX 11
- ClickBIOS II – Next-generation Graphical User BIOS Interface
- World's first PCI-E Gen 3 Support
- 2x DIMM DDR3 1066/1333/1600MHz Support (up to 16GB Max)
- 1x PCI-E x16(Gen 3), 1x PCI-Ex1, 1x PCI slot
- 1x SATA III, 3x SATA II, 4X USB 3.0, 8x USB 2.0, Gbt LAN, HD Audio



H61M-E33/W8 INTEL H61 CHIPSET (G3 STEPPING)

- Supports Intel 2nd and 3rd Generation Core i3/i5/i7/Pentium/Celeron LGA1155 processors / H61 Express Chipset
- Intel HD Graphics Outputs (HDMI/D-Sub) for digital signage w/ DirectX 11
- ClickBIOS Concept – Next-generation UEFI support
- World's first PCI-E Gen 3 Support
- 2x DIMM DDR3 1066/1333/1600MHz Support (up to 16GB Max)
- 1x PCI-E x16(Gen 3), 1x PCI-E x1
- 4x SATA II, 10x USB 2.0, Gbt LAN, HD Audio



MSI CORPORATE STABLE MODEL

1 YEAR SUPPLY GUARANTEED + ADVANCED RMA SERVICE

MSI Corporate Stable Models are automatically covered upon purchase.

Learn more at us.msi.com/corpstable



Model	H77MA-G43	H61M-P31/W8	A55M-P33
Chipset	Intel® Z77	Intel® H61	AMD® Hudson D2 for Llano APU
Package	LGA 1155	LGA 1155	FM1
Form Factor	mATX	mATX	mATX
Memory	4 DDR3 DIMMs	2 DDR3 DIMMs	2 DDR3 DIMMs
Memory Support	1866/1600 MHz	DDR3 1333/1066	1866/1600/1333/1066/800
Max. Memory	32GB	16GB	16GB
PCI-E x16	1x PCI-E 3.0 x16, 1x PCI-E 2.0 x4	1x PCI-E 2.0 x16	1x PCI-E 2.0 x16
PCI x1	2	1	1
PCI	N/A	N/A	1
CrossFireX/SLI	2 way CrossFireX	N/A	N/A
SATA 3.0 (6 Gb/s)	2	N/A	N/A
SATA 2.0 (3 Gb/s)	4	4	6
USB 3.0 (R+F)	4 (2+2)	N/A	N/A
USB 2.0 (R+F)	10 (4+6)	4	6
Debug LED	N/A	N/A	N/A
Power eSATA	N/A	N/A	N/A
eSATA	N/A	N/A	N/A
LAN	Realtek 8111E	Realtek 8111E	Realtek 8111E
1394	N/A	N/A	N/A
VGA output	Y	Y	Y
HDMI	Y	N/A	N/A
DVI	Y	Y	Y
VGA Max Shared Memory	1024 MB	1024 MB	2048 MB
Audio	8-channel HD Audio (ALC 892)	8-channel HD Audio (ALC 892)	8-channel HD Audio (ALC 892)
Warranty	3 Years	3 Years	3 Years
Remark	PCI-E Gen 3, OC Genie II, ClickBIOS II, THX TruStudioPRO	DVI, HD Audio Windows 8 Ready	AMD Dual Graphics Ready



MSI CORPORATE STABLE MODEL

1 YEAR SUPPLY GUARANTEED + ADVANCED RMA SERVICE

MSI Corporate Stable Models are automatically covered upon purchase.

Learn more at us.msi.com/corpstable



Model	B75MA-E33	H61M-E33/W8
Chipset	Intel® B75	Intel® H61
Package	LGA 1155	LGA 1155
Form Factor	mATX	mATX
Memory	2 DDR3 DIMMs	2 DDR3 DIMMs
Memory Support	1600/1333/1066MHz	1600/1333/1066MHz
Max. Memory	16GB	16GB
PCI-E x16	1x PCI-E 3.0 x16	1x PCI-E 3.0 x16
PCI x1	1	1
PCI	1	0
CrossFireX/SLI	N/A	N/A
SATA 3.0 (6 Gb/s)	1	0
SATA 2.0 (3 Gb/s)	3	4
USB 3.0 (R+F)	4	0
USB 2.0 (R+F)	8	10
Debug LED	N/A	N/A
Power eSATA	N/A	N/A
eSATA	N/A	N/A
LAN	Realtek 8111E	Realtek 8111E
1394	N/A	N/A
VGA output	Y	Y
HDMI	Y	Y
DVI	N	N/A
VGA Max Shared Memory	1024MB	1024MB
Audio	8-channel HD Audio (ALC 892)	8-channel HD Audio (ALC 892)
Warranty	3 years	3 years
Remark		Windows 8 Ready